Appl. No. 10/706,392

Amdt. dated January 4, 2006

Reply to Office action of July 11, 2005

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An item of jewelry comprising a main body

having an inlay area of concaved shape and a decorating part secured in said inlay

area; wherein the improvement comprising said decorating part, said decorating part

being is composed of a copper alloy which contains 6 to 15 weight percent copper and

94 to 85 weight percent gold; said item of jewelry decorating part being secured in said

inlay area by a layer of solder in said inlay area between said decorative part and said

main body.

The item of jewelry as claimed in Claim 1, 2. (Previously Presented)

wherein said jewelry has a curved surface at said inlay area.

The item of jewelry as claimed in Claim 1, 3. (Previously Presented)

wherein said jewelry is selected from group of jewelry including rings, pendants,

necklaces, earrings, cuff buttons, brooches, tie tacks, bangles, buckles, chokers,

bracelets, watch band and glasses.

(Withdrawn) A method of manufacturing jewelry including steps of

forming a main body having inlaid portion of concaved shape, of forming an decorating

part into made of copper alloy containing 6 to 15 weight percentage of copper and 94 to

85 weight percentage of gold, of applying flux joint surfaces main body and/or an

Page 3

Appl. No. 10/706,392

Amdt. dated January 4, 2006

Reply to Office action of July 11, 2005

decorating part, of inserting said decorating part in said inlaid portion, of soldering

surfaces of border of main body and decorating parts.

5. (Withdrawn) A method of cleaning jewelry in Claim 1, wherein polishing

process is applied on surface of decorating part after certain time of use.

The item of jewelry of claim 1 wherein said 6. (Previously Presented)

main body is made of a metal chosen from the group consisting of a gold alloy, a silver

alloy, a platinum alloy, and combinations thereof.

7. (Previously Presented) The item of jewelry of claim 1 wherein said

item of jewelry includes a flux applied to said main body and/or said decorating part

prior to the insertion of said decorating part in said inlay area and solder placed about

said decorating part at a junction of said decorating part and said main body; said layer

of solder being formed by applying heat to said item of jewelry; whereby, under heat,

the flux evaporates forming a gap between said decorating item and said main body

and said solder is pulled into said gap to form said layer of solder.

8. (Currently Amended) An item of jewelry comprising a main body

having an inlay area of concaved shape and a decorating part secured in said inlay

area; said inlay area comprising a main channel and at least one groove extending from

a side of said channel; said decorating part being composed of a copper alloy which

contains 6 to 15 weight percent copper and 94 to 85 weight percent gold; ene or both of

said decorating part and said inlay area being coated with a flux, such that said flux is

Page 4

Appl. No. 10/706,392

Amdt. dated January 4, 2006

Reply to Office action of July 11, 2005

positioned between said decorating part and a surface of said inlay area; said item of

jewelry decorating part being secured in said inlay area; said decorating part

corresponding in shape to the shape of the inlay area main channel; said decorating

part being deformable to fill said at least one groove upon the application of pressure to

said decorating part. by a layer of solder which replaces said flux under the influence of

heat; said-solder securing-said-decorating part in said main body inlay area.

9. (New) The item of jewelry of Claim 8 wherein said at least one groove

comprises at least a pair of oppositely positioned grooves; there being a first groove on

a first side of said channel and a second groove on a second, opposite side of said

channel; said first and second grooves of said pair of grooves being radially aligned with

each other.

10. (New) The item of jewelry of Claim 9 wherein said main channel

comprises two of said pairs of grooves; a first of said pairs of grooves being proximate a

bottom of said channel and a second of said pairs of grooves being positioned about

midway up the height of said groove.

11. (New) The item of jewelry of Claim 10 wherein said grooves of said upper

pair of grooves are shaped differently from the grooves of said lower pair of grooves.

12. (New) The item of jewelry of Claim 11 wherein said grooves of said upper

pair of grooves are generally trapezoidal in shape and the grooves of said lower pair of

grooves are generally rectangular in shape.

Page 5